























































COD.	°C max	τ s	DIMENSIONI	IMPIEGO	
S 8601P	-50 +200	3,5s			HD 8601
S 8601PP	-50 +200	5s			HD 8601/P
STS3	-50 +150	3,5s			HD 8501
STS3/C	-50 +150	5s			
STS3/P	-50 +150	5s			
TP 870	-50 +400	3s			
TP 870C	-50 +400	5s			HD 9010 HD 8602 HD 8705 HD 8706 HD 8804 HD 8901 HD 9117 HD 9021 DO 9406 DO 9505 DO 9417 DO 9704 DO 9709 DO 9721
TP 870P	-50 +400	3s			

COD.	°C max	τ s	DIMENSIONI	IMPIEGO	
TP 870A	-50 +250	12s			
TP 871	-50 +200	3s			
TP 872/500	-50 +400	10s			
TP 872/1000	-50 +500	6s			HD 9010 HD 8602 HD 8705 HD 8706 HD 8804 HD 8901 HD 9117 HD 9021 DO 9406 DO 9505 DO 9417 DO 9704 DO 9709 DO 9721
TP 873					
TP 874	-30 +200	3s			
TP 875	-10 +100		Sonda globo-termometro per la misura del calore radiante $\varnothing 150$ mm. Accuratezza secondo ISO 7243 ISO 7726. Sensore Pt100 cavo L=2m a 4 fili.		
TP 876	-10 +100		Sonda globo-termometro per la misura del calore radiante $\varnothing 50$ mm. Accuratezza secondo ISO 7243 ISO 7726. Sensore Pt100 cavo L=2m a 4 fili.		
TP 877	-200 +400	3s			

COD.	°C max	τ s	DIMENSIONI		IMPIEGO	
TP 9A	-70 +400	3,5s	CLASS A			
TP 9AC	-70 +400	5,5s	CLASS A			
TP 9AP	-70 +400	4s	CLASS A			
TP 93	-70 +400	3,5s	CLASS 1/3 DIN			
TP 93C	-70 +400	5,5s	CLASS 1/3 DIN			
TP 93P	-70 +400	4s	CLASS 1/3 DIN			
TP 932	-70 +200	3,5s	CLASS 1/3 DIN			
TP 932P	-70 +200	4s	CLASS 1/3 DIN			
TP 95	-70 +400	3,5s	CLASS 1/5 DIN			
TP 95P	-70 +400	4s	CLASS 1/5 DIN			

HD 9212
HD 9213
HD 9214
HD 9215
HD 9216
HD 9219
HD 9220